	Application No.	Applicant(s)
Notice of Allowability	10/717,826	KONG ET AL.
	Examiner	Art Unit
	David N. Werner	2621
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to Communications filed 31 January 2008 and 04 February 2008.		
2. The allowed claim(s) is/are <u>1-3 and 5-7</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ul>		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5.  Notice of Informal P	tatant Analisation
1. Notice of References Cited (PTO-892)	6. ☐ Interview Summary	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Dat	te
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	<ul><li>8. ☑ Examiner's Stateme</li><li>9. ☐ Other</li></ul>	ent of Reasons for Allowance
3. 🔟 Other		
	DNW	

10/717,826 Art Unit: 2621

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Cfliton Mueller on 11 February 2008.

The application has been amended as follows: in claim 1: line 23, please replace the word "assign" with "assigning".

## Terminal Disclaimer

2. The terminal disclaimer filed on 04 February 2007 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of US Patent Application 10/717,679, now Patent 7,324,698, has been reviewed and is accepted. The terminal disclaimer has been recorded.

## Allowable Subject Matter

- 3. Claims 1-3 and 5-7 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: The subject matter of former claim 4, previously indicated as allowable, has been placed in the independent claim.

10/717,826 Art Unit: 2621

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US Patent Application Publication 2003/0219073 A1 (Lee et al.) teaches a system for noise reduction in which the weighted average of surrounding pixels of a corner of a block in an image is taken to reduce compression artifacts.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David N. Werner whose telephone number is (571) 272-9662. The examiner can normally be reached on Monday-Friday from 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on (571) 272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Application/Control Number:

10/717,826 Art Unit: 2621

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

**DNW** 

MEHRDAD DASTOURI
SUPERVISORY PATENT EXAMINER

TC 2600